

ENRANGE™ MLTX

Wireless Controls

COMFORT. DURABILITY. FLEXIBILITY. THAT'S MLTX.



Our compact Enrange MLTX bellybox transmitter incorporates the latest polymer technology in a lightweight, comfortably contoured, yet durable case. It's available with many options to meet the needs of a variety of applications and industries.

OUR MOST COMFORTABLE TRANSMITTER YET!

- Ergonomically designed contoured case is more comfortable for the user
- One of the lightest bellybox transmitters available today—50% lighter than other belly box transmitters
- Easy to use, angled lever or joystick controls enhance operator comfort

IT'S NO LIGHTWEIGHT WHEN IT COMES TO BEING BOTH DURABLE AND RELIABLE

- Rugged, super-tough nylon housing is made to withstand shock
- Rated NEMA 4 (IP66), sealed to withstand harsh, industrial environments
- Synthesized frequency generation enhances reliability
- Dual access code system provides peace-of-mind, as the signal only operates the intended equipment
- Designed to minimize power consumption, providing one of the longest life batteries in the industry today - rechargeable NiMH battery pack standard
- Military grade auxiliary function switches



MLTX IS DESIGNED WITH VERSATILITY AND FLEXIBILITY IN MIND

- Choose up to 7 levers or 2 joysticks
- Side mounted key switch and code plug
- Choose up to 6 toggles; mushroom E-stop
- Available proportional, 1, 2, 3, or 5 speeds in a non-detent lever or joystick
- Customize MLTX to meet your requirements, or select a pre-engineered, off-the-shelf system
- Backward compatible with most existing systems
- Up to 4 selectable licensed frequencies



MAGNETEK WIRELESS CONTROLS ARE MADE IN THE USA

PRODUCT FEATURES

PERFECT FOR USE IN A MULTITUDE OF APPLICATIONS



Optional certification for use in hazardous locations requiring ISA 12.12.01 Class I and Class II, Division 2, Group A, B, C, D, E, F and G.

Our standard pre-engineered MLTX system has flexibility not found in most off-the-shelf systems. It's available with our CAN-6 receiver.

CAN-6 RECEIVER

The CAN-6 receiver makes adding remote control to hydraulically "CAN-BUS" controlled machinery simple and easy. The small compact design is rugged enough to handle outdoor environments, and the quick response allows for precise control, without the latency found in other radio control systems. The CAN-6 has eight analog outputs, eight digital outputs and CAN inputs.

FEATURES

- Easily integrated into CAN based products and products with J1939 communications
- Can be connected to other devices that require an analog voltage input
- Designed for outdoor use and sealed to IP67 specifications
- 8 analog outputs (0-5 Vdc, 0-10 Vdc, or 3-6-9 Vdc)
- 8 digital (on/off) outputs (dedicated E-stop, 3 extra)
- Power 12 Vdc - 48 Vdc
- Small, rugged compact design
- Requires no FCC site license
- Synthesized RF technology available for
 - Unlicensed (FCC Part 15 IC Part K) UHF – dial in any of the 31 frequencies



Distributed By: FORCE America, Inc.
501 East Cliff Road
Burnsville, MN 55337
888.99.FORCE
www.forceamerica.com



N49 W13650 Campbell Drive
Menomonee Falls, WI 53051
Toll-Free Phone 800.288.8178
Toll-Free Fax 800.298.3503
Phone 262.783.3500
Fax 262.783.3510

ENRANGE FACILITY
#5 Four Coins Drive
Canonsburg, PA 15317-1751
Phone 800.288.8178
Fax 262.783.3510

CANADA FACILITY
4090B Sladeview Crescent
Mississauga, Ontario
L5L 5Y5 CANADA
Phone 800.792.7253
Fax 905.828.5707

WWW.MAGNETEKMOBILEHYDRAULIC.COM

Pub No. MLTXCAN-6
© Magnetek, Inc. 2011